

Infosafe No™ LPZ0X	Issue Date : May 2010	ISSUED by INTERLUB
--------------------	-----------------------	--------------------

Product Name : **SINOPEC AIR COMPRESSOR OIL L-DAB 68**

Not classified as hazardous

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	SINOPEC AIR COMPRESSOR OIL L-DAB 68
Company Name	International Lubricant Distributors Pty. Ltd. (ABN 79 139 276 887)
Address	501 Great Eastern Highway Redcliffe WA 6104 Australia
Emergency Tel.	1300 558 939
Telephone/Fax Number	Fax: +61 8 9381 1788
Recommended Use	Hydraulic and Transmission Fluid can be used in high power tractors for hydraulic, transmission and wet brake systems.
Other Information	Waitomo Lubricants Limited (GST 104255744) 15 Ellis Street, Frankton, Hamilton PO Box 5125, Hamilton 3242 Emergency Tel. 07 847 0829 (24 Hrs) Tel. 07 847 0829 Fax. 07 846 0032

2. HAZARDS IDENTIFICATION

Hazard Classification	Not classified as hazardous NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. Hazard classification according to the criteria of NOHSC. Dangerous goods classification according to the Australia Dangerous Goods Code.
Risk Phrase(s)	Not classified as hazardous
Safety Phrase(s)	R51 Toxic to aquatic organisms. S2 Keep out of reach of children. S61 Avoid release to the environment. Refer to special instructions/safety data sheet.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
		Mixture	80-100 %
		Mixture	<20 %

4. FIRST AID MEASURES

Inhalation	If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.
Ingestion	Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek medical attention.
Skin	Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.
Eye	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and persist seek medical attention.
First Aid Facilities	Eyewash and normal washroom facilities.
Advice to Doctor	Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Use carbon dioxide, dry chemical, and foam.
Hazards from Combustion Products	Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide, and other products.
Specific Hazards	Combustible liquid. This product will readily burn under fire conditions.
Precautions in connection with Fire	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed

Infosafe No™ LPZ0X	Issue Date : May 2010	ISSUED by INTERLUB
--------------------	-----------------------	--------------------

Product Name : **SINOPEC AIR COMPRESSOR OIL L-DAB 68**

Not classified as hazardous

Unsuitable Extinguishing Media

containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.
Do not use water jet.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water authorities and EPA in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Avoid inhalation of vapours and mists, and skin or eye contact. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, foodstuffs, and clothing. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all applicable local and national regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards No exposure standards have been established for this material, however, the TWA National Occupational Health And Safety Commission (NOHSC) exposure standards for oil mist is 5 mg/m³.
TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Biological Limit Values No biological limits allocated.

Engineering Controls Provide sufficient ventilation to keep airborne levels as low as possible. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is required.

Respiratory Protection If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapour/mist filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection Safety glasses with side shields, goggles or full-face shield as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection Suitable protective workwear, e.g. impervious overalls buttoned at neck and

Infosafe No™ LPZ0X	Issue Date : May 2010	ISSUED by INTERLUB
--------------------	-----------------------	--------------------

Product Name : **SINOPEC AIR COMPRESSOR OIL L-DAB 68**

Not classified as hazardous

wrist is recommended. Chemical resistant apron is recommended where large quantities are handled. Industrial clothing should conform to the specifications detailed in AS/NZS 2919: Industrial clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Amber transparent liquid
Odour	Mild odour
Melting Point	Not available
Boiling Point	Not available
Solubility in Water	Not available
pH Value	Not available
Vapour Pressure	Not available
Vapour Density (Air=1)	Not available
Density	Not available
Flash Point	>175°C
Flammability	Combustible liquid C2
Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not available
Flammable Limits - Upper	Not available
Kinematic Viscosity	46 cSt at 40°C 9 cSt at 100°C

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Heat and other sources of ignition
Incompatible Materials	Strong oxidising agents
Hazardous Decomposition Products	Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide carbon dioxide, and other products.
Hazardous Polymerization	Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information	No toxicity data available for this product.
Inhalation	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting. Ingestion of large amounts may cause headache, stupor, vomiting convulsions and unconsciousness. Small amounts of liquid aspirated into the respiratory system during ingestion or from vomiting may cause severe pulmonary injury that may lead to death. May cause irritation to the mouth, throat, esophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.
Skin	May be irritating to skin. The symptoms may include redness, itching and swelling.
Eye	May be irritating to eyes. The symptoms may include redness, itching and tearing.
Chronic Effects	Prolonged or repeated skin contact may cause defatting leading to dermatitis. Prolonged inhalation may cause central nervous system depression with symptoms including dizziness, drowsiness, nausea and headaches.

Infosafe No™ LPZ0X	Issue Date : May 2010	ISSUED by INTERLUB
--------------------	-----------------------	--------------------

Product Name : **SINOPEC AIR COMPRESSOR OIL L-DAB 68**

Not classified as hazardous

12. ECOLOGICAL INFORMATION

Ecotoxicity	Toxic to aquatic organisms.
Persistence / Degradability	This product is inherently biodegradable.
Mobility	Will be absorbed into soil and sediment.
Bioaccumulative Potential	Unlikely to bioaccumulate in water due to low solubility.
Environ. Protection	Do not discharge this material into waterways, drains and sewers.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.
--------------------------------	--

14. TRANSPORT INFORMATION

Transport Information	Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).
------------------------------	---

15. REGULATORY INFORMATION

Regulatory Information	Classified as Hazardous according to criteria of National Occupational Health & Safety Commission (NOHSC), Australia.
Poisons Schedule	Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).
Hazard Category	Not Scheduled
	Dangerous for the environment

16. OTHER INFORMATION

Date of preparation or last revision of MSDS	MSDS Created: May 2010
	...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.